)6	13:31	
)6	12:53	
06	12:56	(
)6	12:56	Cont
)6	12:58	
)6	13:02	
)6	12:59	
)6	13:06	2
)6	13:00	
)6	13:04	
)6	13:16	

L Number	Hits	Search Text	DB	Time stamp	
1	33675	(compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)	USPAT; US-PGPUB; EPO; JPO;	2003/11/06 13:47	
2	1136	((compress\$5 or compact\$5) and (decompress\$4 or	DERWENT; IBM_TDB USPAT;	2003/11/06 12:55	
		de-compact\$5 or decompact\$5 or de-compress\$5)) and (first and second\$4) adj2 (compress\$5 or compact\$5)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB		
3	150	(((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (first and second\$4) adj2 (compress\$5 or compact\$5)) and classif\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:31	
4	4	((((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (first and second\$4) adj2 (compress\$5 or compact\$5)) and classif\$5) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 12:53	
8	32	(((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (first and second\$4) adj2 (compress\$5 or compact\$5)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 12:56	
9	1999	((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (first and second\$4) adj2 (compress\$5 or compact\$5 or method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 12:56	
10	21	((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (first and second\$4) adj (compress\$5 or compact\$5) adj method	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 12:58	
*	1	(((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (first and second\$4) adj (compress\$5 or compact\$5) adj method) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:02	
12	. 25	((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (second\$4) adj (compress\$5 or compact\$5) adj method	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 12:59	
.13	32	((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (second\$4) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:06	
14	11	(((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (second\$4) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)) and classif\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:00	
15	0	((((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (second\$4) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)) and classif\$5) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:04	
16	2	(((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (second\$4) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:16	

17	91	(second\$4) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)	USPAT; US-PGPUB; EPO; JPO;	2003/11/06 13:07
			DERWENT; IBM_TDB	
18 	99	(first) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)	USPAT; US-PGPUB; EPO; JPO;	2003/11/06 13:44
10	60	//occondC4\ adi (compressCF and compressCF) adi (conthad an	DERWENT; IBM_TDB	0000444004007
19	68	((second\$4) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)) and ((first) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/06 13:07
20	1	(((second\$4) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)) and ((first) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus))) and 707/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/06 13:36
21	27	(((second\$4) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)) and ((first) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus))) and (compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:35
22	2	de-compress\$5) ((((second\$4) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus)) and ((first) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus))) and (compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:32
23	1723	de-compress\$5)) and classif\$5 near2 data ((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or de-compress\$5)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:36
24	1237	(((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or de-compress\$5)).ti.) and ((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or de-compress\$5)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:36
25	8	((((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)).ti.) and ((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or de-compress\$5)).ab.) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/06 13:49
26	7	(((((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)).ti.) and ((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)).ab.) and 707/\$.ccls.) and (group or set)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:48
27	118	(first and second) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus or unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/06 14:03
28	13	((first and second) adj (compress\$5 or compact\$5) adj (method or means! or approach\$4 or apparatus or unit)) and faster and higher	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/06 13:46
29	295	((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (faster and higher) with (compress\$5 or compact\$5 or decompress\$4 or de-compact\$5 or decompact\$5 or de-compact\$5 or de-compress\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:57

30	182	(((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:00
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(faster and higher) with (compress\$5 or compact\$5 or	EPO; JPO;	
		decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and (group or set or classif\$6 or categor\$6)	DERWENT;	
		near3 (data or record)	IDIVI_IDD	
31	4	((((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 13:55
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(faster and higher) with (compress\$5 or compact\$5 or	EPO; JPO;	
		decompress\$4 or de-compact\$5 or decompact\$5 or	DERWENT;	
		de-compress\$5)) and (group or set or classif\$6 or categor\$6)	IBM_TDB	
22	,	near3 (data or record)) and 707/\$.ccls.	LICDAT	0000441004050
32	3	(((((compress\$5 or compact\$5) and (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and	USPAT;	2003/11/06 13:58
		(faster and higher) with (compress\$5 or compact\$5 or	US-PGPUB; EPO; JPO;	
		decompress\$4 or de-compact\$5 or decompact\$5 or	DERWENT;	
		de-compress\$5)) and (group or set or classif\$6 or categor\$6)	IBM_TDB	
		near3 (data or record)) and 707/\$.ccls.) and search\$5	1.51.5.5	
33	538	((compress\$5 or compact\$5) and (decompress\$4 or	USPAT:	2003/11/06 13:58
•		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(faster and high\$4) with (compress\$5 or compact\$5 or	EPO; JPO;	
		decompress\$4 or de-compact\$5 or decompact\$5 or	DERWENT;	
24	40.	de-compress\$5)	IBM_TDB	
34	46	((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:02
		de-compact\$5 or decompact\$5 or de-compress\$5)) and (faster and high\$4) with (compress\$5 or compact\$5) with	US-PGPUB; EPO; JPO;	
		(decompress\$4 or de-compact\$5 or decompact\$5 or	DERWENT;	
		de-compress\$5)	IBM_TDB	
35	18	(((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:00
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(faster and high\$4) with (compress\$5 or compact\$5) with	EPO; JPO;	
		(decompress\$4 or de-compact\$5 or decompact\$5 or	DERWENT;	
00	404	de-compress\$5)) and search\$5	IBM_TDB	
36	121	((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:13
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(faster) with (compress\$5 or compact\$5) with (decompress\$4 or de-compact\$5 or de-compact\$5)	EPO; JPO; DERWENT;	
		or de-compacted or decompacted or de-compressed)	IBM TDB	
37	43	(((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:00
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	=====================================
		(faster) with (compress\$5 or compact\$5) with (decompress\$4	EPO; JPO;	
		or de-compact\$5 or decompact\$5 or de-compress\$5)) and	DERWENT;	
00		search\$5	IBM_TDB	
38	32	((((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:00
		de-compact\$5 or decompact\$5 or de-compress\$5)) and (faster) with (compress\$5 or compact\$5) with (decompress\$4	US-PGPUB;	
		(laster) with (compress\$5 or compact\$5) with (decompress\$4 or de-compact\$5 or decompact\$5 or de-compress\$5)) and	EPO; JPO; DERWENT;	
		search\$5) and (group or set or classif\$6 or categor\$6) near3	IBM_TDB	
		(data or record)	15155	
39	5	(((((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:03
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(faster) with (compress\$5 or compact\$5) with (decompress\$4	EPO; JPO;	
		or de-compact\$5 or decompact\$5 or de-compress\$5)) and	DERWENT;	
		search\$5) and (group or set or classif\$6 or categor\$6) near3	IBM_TDB	
40	_	(data or record)) and 707/\$.ccls.	11004	
+∪	0	((((((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:02
		de-compact\$5 or decompact\$5 or de-compress\$5)) and (faster) with (compress\$5 or compact\$5) with (decompress\$4	US-PGPUB;	
	·	or de-compact\$5 or decompact\$5 or de-compress\$5)) and	EPO; JPO; DERWENT;	
		search\$5) and (group or set or classif\$6 or categor\$6) near3	IBM_TDB	
		(data or record)) and 707/\$.ccls.) and (high\$4 near2 rate) with	.5 .5.6	
		(compress\$5 or compact\$5)		
41	991	((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:03
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(high\$4 near2 rate) with (compress\$5 or compact\$5)	EPO; JPO;	
		*	DERWENT;	
			IBM_TDB	

42	12	(((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:15
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(high\$4 near2 rate) with (compress\$5 or compact\$5)) and	EPO; JPO;	
İ		707/\$.ccls.	DERWENT;	
			IBM_TDB	
43	9	((((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:06
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(high\$4 near2 rate) with (compress\$5 or compact\$5)) and	EPO; JPO;	
		707/\$.ccls.) and (compress\$5 or compact\$5) adj (method or	DERWENT;	
		means! or approach\$4 or apparatus or unit)	IBM_TDB	
44	10	((((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:06
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(high\$4 near2 rate) with (compress\$5 or compact\$5)) and	EPO; JPO;	·
		707/\$.ccls.) and (compress\$5 or compact\$5) adj3 (level or	DERWENT;	
		method or means! or approach\$4 or apparatus or unit)	IBM_TDB	
45	0	(((((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:13
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(high\$4 near2 rate) with (compress\$5 or compact\$5)) and	EPO; JPO;	
·		707/\$.ccls.) and (compress\$5 or compact\$5) adj3 (level or	DERWENT;	
		method or means! or approach\$4 or apparatus or unit)) and	IBM_TDB	·
		(faster) with (compress\$5 or compact\$5) with (decompress\$4		
		or de-compact\$5 or decompact\$5 or de-compress\$5)		
46	· 7	((((compress\$5 or compact\$5) and (decompress\$4 or	USPAT;	2003/11/06 14:15
		de-compact\$5 or decompact\$5 or de-compress\$5)) and	US-PGPUB;	
		(faster) with (compress\$5 or compact\$5) with (decompress\$4	EPO; JPO;	
		or de-compact\$5 or decompact\$5 or de-compress\$5)) and	DERWENT;	
		search\$5) and 707/\$.ccls.	IBM_TDB	

Number	
2 2 4464650.pn. and compress\$4 and decompress\$6 USPAT. USPGPUB: EPO. JPO. DERWENT; IBM. TDB USPAT; USP	.p 6.14:10
2	5 14:19
2	
2	
2	
3 32460	
3 32460	õ 14:22
3 32460	
Sample S	
32460 compress\$4 and decompress\$6 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Qata or record or attribution) 10	
US-PGPUB: EPO; JPO: DERWENT; IBM_TDB 2003/11/0 2	
4 9277 (compress\$4 and decompress\$6) and (decod\$4 and encod\$4) 5 3557 ((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6 ((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6 ((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) 7 0 4464650.pn. and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) 8 1 1 4464650.pn. and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) 9 116 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) 9 116 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) encod\$6) e	6 14:22
4 9277	
Section Sect	
4	
encod\$4) encod\$4) encod\$4 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; I	
Second S	6 14:23
Semilar Semi	
Same	
3557 ((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DER	
1897 1897 ((((compress\$4 and decompress\$6)) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) 2003/11/0	
1897 (((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TD	6 14:23
1897 (((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DER	
1897 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DE	
1897 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) Compress\$4 and decompress\$6 or catelog\$6) near2 Compress\$4 and decompress\$6 or catelog\$6) near2 Compress\$4 and decompress\$6 or catelog\$6) with (data or record or attribution) Compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) Compress\$6 or catelog\$6) with (data or record or attribution) Compress\$6 or catelog\$6) with (data or record or attribution) Compress\$6 or catelog\$6) Compress\$6 or catelog\$6 or catelog\$6 or catelog\$6) Compress\$6 or catelog\$6 or catelog	
1897 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) Compress\$4 and decompress\$6 or catelog\$6) near2 Compress\$4 and decompress\$6 or catelog\$6) near2 Compress\$4 and decompress\$6 or catelog\$6) with (data or record or attribution) Compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) Compress\$6 or catelog\$6) with (data or record or attribution) Compress\$6 or catelog\$6) with (data or record or attribution) Compress\$6 or catelog\$6) Compress\$6 or catelog\$6 or catelog\$6 or catelog\$6) Compress\$6 or catelog\$6 or catelog	
catelog\$6) near2 (data or record or attribution) 4464650 pn. and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) 8	6 14:24
7 0 4464650.pn. and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) 8 1 4464650.pn. and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) 9 116 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) and 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) and (decod\$4 and encod\$4) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) and (decod\$4 and encod\$4) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) and (decod\$4 and encod\$4) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (decod\$4 and encod\$4) and encod\$4) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (decod\$4 and encod\$4) and encod\$4) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (decod\$4 and encod\$4) and encod\$4) and encod\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (decod\$4 and encod\$6) and (set or group or classif\$6 or catelog\$6) and (s	
The content of the	
4464650.pn. and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) 4464650.pn. and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) 4464650.pn. and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) 9 116 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) rear2 (data or record or attribution)) and 707/\$.ccls. 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. 10 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and PO/7/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and PO/7/\$.ccls.	
4464650.pn. and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution) 4464650.pn. and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) 4464650.pn. and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) 9 116 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) rear2 (data or record or attribution)) and 707/\$.ccls. 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. 10 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and PO/7/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and PO/7/\$.ccls.	
Second Second or attribution Content or attribution	6 14:24
8 1 1 4464650.pn. and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) 9 116 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 10 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 11 (USPAT; encod\$4)) and search\$6) and (decod\$4 and encod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and	
8 1 4464650.pn. and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) 9 116 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6 or eatelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and PO7/\$.ccls. (data or record or attribution)) and PO7/\$.catelog\$6) near2 (data or record or attribution) and PO7/\$.catelog\$6) near2 (data or record or attribution) and PO7/\$.catelog\$6) near2 (data or record or attribution)) and PO7/\$.catelog\$6) near2 (data or record or attribution) and PO7/\$.catelog\$6) near2 (data or record or attribution) and PO7/\$.catelog\$6) near2 (data or record or attribution) and PO7/\$.catelog\$6 or PO7/\$.catelog\$6) near2 (data or record or attribution) and PO7/\$.catelog\$6 or PO7/\$.	
8 1 4464650.pn. and (set or group or classif\$6 or catelog\$6) with (data or record or attribution) 9 116 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((compress\$4 and decompress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((((((((((((((((((((((((((((((((
(data or record or attribution) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO; DERWENT; IBM_TDB (US-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO; DS-PGPUB; ENCOG\$4)) and search\$6) and (decod\$4 and encod\$4) and search\$6) and (decod\$4 and encod\$4) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and (USPAT; US-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO;	
9 116 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	6 14:24
9 116 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 0003/11/0 (US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 0003/11/0 (US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-P	
9 116 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and PRWENT; IBM_TDB (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and PRWENT; IBM_TDB (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (USPAT; US-PGPUB; EPO; JPO; To7/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO; US-PGPUB; EPO; JPO;	
9 116 ((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO; DERWENT; IBM_TDB (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO; DERWENT; IBM_TDB (USPAT; US-PGPUB; EPO; JPO; To7/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	
encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 0 ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls. (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 0 ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; US-PGPUB; EPO; JPO;	6 14:35
707/\$.ccls. Topic	
707/\$.ccls. 10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO; 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
10 58 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 (((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and FPO; JPO; 707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	6 14:28
707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
707/\$.ccls.) and compress\$6 near2 (level or method or means! or appratus or approach\$4 or unit or program or module) 11 0 ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
means! or appratus or approach\$4 or unit or program or module) 11 0 ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
module) (((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
0 ((((((compress\$4 and decompress\$6) and (decod\$4 and encod\$4)) and search\$6) and (set or group or classif\$6 or catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
encod\$4)) and search\$6) and (set or group or classif\$6 or us-pgpub; catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	6 14:29
catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	_
707/\$.ccls.) and compress\$6 near2 (level or method or DERWENT;	
means! or appratus or approach\$4 or unit or program or IBM_TDB	
module)) and (first and second) near (cmproess\$6 or	
encod\$5)	
12 6 ((((((compress\$4 and decompress\$6) and (decod\$4 and USPAT; 2003/11/0	6 14:33
encod\$4)) and search\$6) and (set or group or classif\$6 or US-PGPUB;	
catelog\$6) near2 (data or record or attribution)) and EPO; JPO;	
707/\$.ccls.) and compress\$6 near2 (level or method or DERWENT;	
means! or appratus or approach\$4 or unit or program or IBM_TDB	
module)) and (first and second) near (compress\$6 or	
encod\$5)	

13	16546	(first and second) near (compress\$6 or encod\$5)	USPAT; US-PGPUB;	2003/11/06 14:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	379	((first and second) near (compress\$6 or encod\$5)) and (first	USPAT;	2003/11/06 14:38
		near (compress\$6 or encod\$5)) with (compar\$6 or match\$6)	US-PGPUB;	
		with (second near (compress\$6 or encod\$5))	EPO; JPO;	
			DERWENT;	
45		(//E	IBM_TDB	000044/0044:07
15	6	(((first and second) near (compress\$6 or encod\$5)) and (first	USPAT;	2003/11/06 14:37
		near (compress\$6 or encod\$5)) with (compar\$6 or match\$6) with (second near (compress\$6 or encod\$5))) and 707/\$.ccls.	US-PGPUB;	
		with (second flear (compressation encodas))) and 70774.ccis.	EPO; JPO; DERWENT;	
			IBM_TDB	
16	878	((first and second) near (compress\$6 or encod\$5)) and (first	USPAT:	2003/11/06 14:37
10	0.0	near (compress\$6 or encod\$5)) same (compar\$6 or match\$6)	US-PGPUB:	2000/11/00 14.07
		same (second near (compress\$6 or encod\$5))	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
17	9	(((first and second) near (compress\$6 or encod\$5)) and (first	USPAT;	2003/11/06 14:38
		near (compress\$6 or encod\$5)) same (compar\$6 or match\$6)	US-PGPUB;	
		same (second near (compress\$6 or encod\$5))) and	EPO; JPO;	
		707/\$.ccls.	DERWENT;	
40	407	((5) (5)	IBM_TDB	0000444004400
18	407	((first and second) near (compress\$6 or encod\$5)) and (first	USPAT;	2003/11/06 14:38
		adj2 (compress\$6 or encod\$5)) with (compar\$6 or match\$6)	US-PGPUB;	
		with (second adj2 (compress\$6 or encod\$5))	EPO; JPO; DERWENT:	
			IBM_TDB	
19	8	((((first and second) near (compress\$6 or encod\$5)) and (first	USPAT;	2003/11/06 14:38
. 5		adj2 (compress\$6 or encod\$5)) with (compar\$6 or match\$6)	US-PGPUB;	=====================================
		with (second adj2 (compress\$6 or encod\$5))) and 707/\$.ccls.	EPO; JPO;	
•		, , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM TDB	*